



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MORBIDITY AND MORTALITY—Continued.

Morbidity and mortality table, cities of the United States, for week ended April 29, 1911—Continued.

Cities.	Popula- tion United States, census 1910.	Total deaths, from all causes.	Diph- theria.		Measles.		Scarlet fever.		Small- pox.		Tuber- culosis.		Ty- phoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
<i>Cities having less than 25,000 inhabitants— Continued.</i>														
Galesburg, Ill.	20,089	3	2				1							
Gloucester, Mass.	24,398	2										1		
Greensboro, N. C.	15,895	5							1					
Harrison, N. J.	14,498	4												
Homestead, Pa.	18,713	6			13	1	1							
Hyde Park, Mass.	15,507	1					4							
Kearny, N. J.	18,659	3			1		1				1			
Kokomo, Ind.	17,010	2	1		2		1		13		2			
La Fayette, Ind.	20,081	7					2							
Manitowoc, Wis.	12,381	0												
Marinette, Wis.	13,027	5										1	1	
Marlboro, Mass.	14,579	7				1						1		1
Massillon, Ohio	13,879	2			1									
Medford, Mass.	23,150	8	2	1	19									
Melrose, Mass.	15,715	3			6		1							
Moline, Ill.	24,199	7	1		15		6							
Montclair, N. J.	21,550	11			2		5				2		1	
Morristown, N. J.	12,507	11	2				1							
Nanticoke, Pa.	18,877	4	2				1							
Newburyport, Mass.	14,949	8	1									1	2	
North Adams, Mass.	22,019						1					4	1	
Northampton, Mass.	19,431	7			1						1			
Ottumwa, Iowa	22,012													
Paducah, Ky.	22,760													
Palmer, Mass.		1												
Peekskill, N. Y.		6	1		30		3				1	2		
Plainfield, N. J.	20,550	5	2		6		1					1	1	
Portsmouth, N. H.	11,209				3									
Pottstown, Pa.		4			1		3	1						
Rock Island, Ill.														
Rutland, Vt.	13,546						1							
Sandusky, Ohio		13											1	
Saratoga Springs, N. Y.		3			2									
South Bethlehem, Pa.	19,973	10			3							1	2	
Steelton, Pa.	14,246	3		2			2				7			
Wilkesburg, Pa.	18,294													
Woburn, Mass.	15,308	3			1								1	

**STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES
AND CITIES OF THE UNITED STATES (untabulated).**

CONNECTICUT—*Stamford*.—Month of April, 1911. Population 25,138. Total number of deaths from all causes 42. No deaths from contagious diseases. Cases reported: Measles 11, scarlet fever 3, tuberculosis 8, typhoid fever 2.

FLORIDA.—Week ended April 29, 1911. Reports from the State board of health show diphtheria present in 4 localities with 10 cases, smallpox in 7 counties with 70 cases, malaria in 6 localities with 38 cases, tuberculosis in 8 localities with 22 cases, typhoid fever in 6 localities with 11 cases.

INDIANA—*Indianapolis*.—Two weeks ended April 16, 1911. Population 233,650. Total number of deaths from all causes 99, including

tuberculosis 13, typhoid fever 1. Cases reported: Diphtheria 5, measles 19, scarlet fever 11, tuberculosis 3.

Two weeks ended April 30, 1911. Total number of deaths from all causes 75, including tuberculosis 5, typhoid fever 1. Cases reported: Diphtheria 4, measles 24, scarlet fever 23, tuberculosis 13.

IOWA.—Month of March, 1911. Population 2,224,771. Total number of deaths from all causes 2,145, including diphtheria 13, measles 25, scarlet fever 12, smallpox 1, tuberculosis 150, typhoid fever 11.

LOUISIANA—*Shreveport*.—Month of April, 1911. Population 28,015. Total number of deaths from all causes 78, including measles 1, tuberculosis 9, typhoid fever 3.

NEW JERSEY.—Month ended April 10, 1911. Population 2,537,167. Total number of deaths from all causes 3,631, including diphtheria 64, measles 38, scarlet fever 37, tuberculosis 475, typhoid fever 18.

NEW YORK.—Month of March, 1911. Population 9,113,614. Total number of deaths from all causes 14,227, including diphtheria 195, measles 121, scarlet fever 190, tuberculosis 1,466, typhoid fever 90. Cases reported: Diphtheria 1,764, measles 6,571, scarlet fever 4,105, smallpox 6, tuberculosis (pulmonary or laryngeal), 3,205, typhoid fever 429.

Rome.—Month of April, 1911. Population 20,400. Total number of deaths from all causes 51. No deaths from contagious diseases. Cases reported: Diphtheria 5, measles 99, scarlet fever 59, tuberculosis 4.

NORTH CAROLINA.—Month of February, 1911. Reports from the State board of health show diphtheria present in 34 counties, measles in 40 counties, scarlet fever in 24 counties, smallpox in 35 counties, typhoid fever in 25 counties, malarial fever (pernicious), in 2 counties, malarial fever (hemorrhagic), in 1 county.

PENNSYLVANIA.—Morbidity, month of March, 1911. Cases of communicable diseases reported 15,369, distributed as follows: Poliomyelitis 17, cerebro-spinal meningitis 16, chicken pox 935, diphtheria 1,179, epidemic dysentery 2, erysipelas 241, German measles 77, measles 5,997, mumps 1,003, pellagra 1, pneumonia 1,096, puerperal fever 13, scarlet fever 1,176, smallpox 8, tetanus 8, trachoma 16, trichiniasis 1, tuberculosis 1,414, typhoid fever 695, whooping cough 1,474.

WISCONSIN.—Months of October, November, December, 1911. Population 2,333,860. Total number of deaths from all causes 6,887; including diphtheria 135, measles 15, scarlet fever 39, tuberculosis 579, typhoid fever 168. Cases reported: Diphtheria 786, measles 576, scarlet fever 1,036, smallpox 109, tuberculosis 227, typhoid fever 433.